

**Quality of vital statistics obtained from civil registration**

<b>I. Basis of tabulation</b>	Live births	Deaths	Infant deaths	Late foetal deaths	Marriages	Divorces
Present basis of tabulation:						
- date of occurrence	x	x	x	x	x	x
- date of registration						
How long has the present basis of tabulation been used?						

<b>II. Estimated completeness of registration</b>	Live births	Deaths	Infant deaths	Late foetal deaths	Marriages	Divorces
100 per cent	x	x	x	x	x	x
90 - 99 per cent						
80 - 89 per cent						
70 - 79 per cent						
60 - 69 per cent						
50 - 59 per cent						
Under 50 per cent						
Please specify:						
(a) Year(s) to which completeness estimate refers	2019	2019	2019	2019	2019	2019
(b) Basis of completeness estimate						
-Demographic analysis						
-Dual record check						
-Questions in population census						
-Questions in sample surveys						
-Other (specify)	x	x	x	x	x	x
-No evaluation						

Please include any reports describing completeness of registration and methods used in arriving at estimated completeness:

Completeness is controlled by checking the continuity of civil unit acts' numeration.

**Quality of vital statistics obtained from other sources**

<b>Basis of vital statistics estimates is</b>						
- Population censuses (date)						
- Sample surveys						

- Population registers						
- Dual record systems						
- Other (specify)						

Please include any reports describing the methods used for estimates of vital statistics based on other sources than civil registration:

**Additional metadata for selected tables**

**Table 1.1 - Urban / rural definitions**

Please state the definition used for urban area and the period of time it has been in use:	areas having official municipal rights
Please state the definition used for rural area and the period of time it has been in use:	areas not having official municipal rights

**Table 1.6 - Grounds for legally induced abortion**

<i>Please mark with an "X" the applicable options</i>	X	
a) Continuance of pregnancy would involve risk to the life of the pregnant woman greater than if the pregnancy were terminated.	x	
b) Continuance of pregnancy would involve risk of injury to the physical health of the pregnant woman greater than if pregnancy were terminated.	x	
c) Continuance of pregnancy would involve risk of injury to the mental health of the pregnant woman greater than if pregnancy were terminated.		
d) Continuance of pregnancy would involve risk of injury to the mental or physical health of the pregnant woman greater than if pregnancy were terminated.		
e) There is a substantial risk that if the child were born it would suffer from such physical or mental abnormalities as to be seriously handicapped.	x	
f) Other, please specify.	x	sult of crime.

**Tables 14a, 14b, 15a and 15b - Life tables**

Do the life tables refer to de Facto population or de Jure population?	De jure
Was any method used to smoothen the life table? Which one?	Moving parabolic fit with different numbers of terms is employed as a method of smoothing of the probabilities of death
Was any specific method used to close the life table at older ages (e.g., Gompertz, Makeham, etc.)? Which one?	To calculate $q_x$ for ages 85 and more polynomial-exponential function is fitted to the number of survivors in points 40, 45, ..., 85 and next it is extrapolated for ages 85-120
If any model life table or relational model was used to derive the life table (e.g., Coale-Demeny West, UN South Asian pattern), what model was used?	No model is used
<i>Please mark with an "X" the applicable options</i>	X
What source of data was used to compute the life tables?	
a) Unadjusted vital registration deaths	
b) Adjusted vital registration deaths	x
c) Information on deaths from census	
d) Life expectancy at birth	
e) Under-five mortality	
f) Infant mortality	

--

**Table 22 Minumum legal marriage age**

Please specify the minimum legal age at which marriage can take place:	Men	Women
a) With parental consent		16-17
b) Without parental consent	18	18

ad) a with court consent