## Quality of vital statistics obtained from civil registration

I. Basis of tabulation	Live births	Deaths	nfant deaths	e foetal dea	Marriages	Divorces
Present basis of tabulation:						
- date of occurrence					Х	x
- date of registration						
How long has the present basis of tabulation been used?					16	16

II. Estimated completeness of registration	Live births	Deaths	nfant deaths	e foetal dea	Marriages	Divorces
90 per cent or more					Х	Х
75-89 per cent						
50-74 per cent						
Under 50 per cent						
Please specify:						
(a) Year(s) to which completeness estimate refers					2011	2011
(b) Basis of completeness estimate						
-Demographic analysis					Х	Х
-Dual record check						
-Questions in population census						
-Questions in sample surveys						
-Other (specify)						
-No evaluation						

Please include any reports describing completeness of registration and methods used in arriving at estimated completeness:

## Quality of vital statistics obtained from other sources

Basis of vital statistics estimates is			
- Population censuses (date)			
- Sample surveys			
- Population registers			
- Dual record systems			

- Other (specify)						
Please include any reports describing the methods used for estir	mates of vita	l statistics ba	sed on othe	er sources th	an civil regis	tration:
Thouse intolace any reporte describing the methods deed for each	natoo or vita	otationoo be	1004 011 01110	1 0001000 111	arr orvii rogio	addon.

## Additional metadata for selected tables

Please state the definition used for urban area and the period of time it has been in use:	'Urban: any locality whose population amounts to 10,000 persons or more. This applies to all governorates/districts centers regardless of their size. Besides, it refers to all localities whose populations vary from 4,000 to 9,999 persons provided they ha				
Please state the definition used for rural area and the period of time it has been in use:	Rural: Any locality whose population is less than 4,000 persons or whose population varies form 4,000 to 9,999 persons but lacking four of the aforementioned				
Table 1.6 - Grounds for legally induced abortion					
Please mark with an "X" the applicable options	Χ				
a) Continuance of pregnancy would involve risk to the life of the					
pregnant woman greater than if the pregnancy were terminated.					
b) Continuance of pregnancy would involve risk of injury to the					
physical health of the pregnant woman greater than if pregnancy were terminated.					
c) Continuance of pregnancy would involve risk of injury to the					
mental health of the pregnant woman greater than if pregnancy were terminated.					
d) Continuance of pregnancy would involve risk of injury to the					
mental or physical health of the pregnant woman greater than if					
pregnancy were terminated.					
e) There is a substantial risk that if the child were born it would suffer					
from such physical or mental abnormalities as to be seriously					

## Tables 14a, 14b, 15a and 15b - Life tables

handicapped.

f) Other, please specify.

Do the life tables refer to de Facto population or de Jure populatio	7
Was any method used to smoothen the life table? Which one?	
Was any specific method used to close the life table at older ages	
(e.g., Gompertz, Makeham, etc.)? Which one?	

	•		
If any model life table or relational model was used to derive the life			
table (e.g., Coale-Demeny West, UN South Asian pattern), what			
model was used?			
Please mark with an "X" the applicable options	Х		
What source of data was used to compute the life tables?			
a) Unadjusted vital registration deaths			
b) Adjusted vital registration deaths			
c) Information on deaths from census			
d) Life expectancy at birth			
e) Under-five mortality			
f) Infant mortality			
Table 22 Minumum legal marriage age			
Please specify the minimum legal age at which marriage can take			
place:	Men	Women	