Quality of vital statistics obtained from civil registration

I. Basis of tabulation	Live births	Deaths	Infant deaths	Late foetal deaths	Marriages	Divorces
Present basis of tabulation:						
- date of occurrence	Yes	Yes	Yes	No	Yes	Yes
- date of registration	Yes	Yes	Yes	No	Yes	Yes
How long has the present basis of tabulation been used?	At least ten years	At least ten years	At least ten years	At least ten years	At least ten years	At least ten years

II. Estimated completeness of registration	Live births	Deaths	Infant deaths	Late foetal deaths	Marriages	Divorces
90 per cent or more	Yes	Yes	Yes	NA	Yes	Yes
75-89 per cent						
50-74 per cent						
Under 50 per cent						
Please specify:						
(a) Year(s) to which completeness estimate refers	2005-2014 (has been complete for decades)	2005-2014 (has been complete for decades)	2005-2014 (has been complete for decades)		2005-2014 (has been complete for decades)	2005-2014 (has been complete for decades)
(b) Basis of completeness estimate						
-Demographic analysis						
-Dual record check						
-Questions in population census						
-Questions in sample surveys						
-Other (specify)	Comparison with other data sources (e.g. hospital birth notifications). Legal requirement for fundamentals, such as school entry.	High level of follow up due to legal requirements.	High level of follow up due to legal requirements.	NA	Act of getting married requires legal registration, through a licensed celebrant.	Act of divorce is a legal process through courts.

-No evaluation						

Please include any reports describing completeness of registration and methods used in arriving at estimated completeness:

Population Estimates: Concepts, Sources and Methods, 2009 (ABS cat. No. 3228.0.55.001)

Quality of vital statistics obtained from other sources

Basis of vital statistics estimates is						
- Population censuses (date)						
- Sample surveys						
- Population registers						
- Dual record systems						
- Other (specify)	Registration	Registration	Registration	NA	Registration	egistration

Please include any reports describing the methods used for estimates of vital statistics based on other sources than civil registration:

Additional metadata for selected tables

Table 1.1 - Urban / rural definitions

Please state the definition used for urban area and the period of time it has been in use:	Description in table footnotes
Please state the definition used for rural area and the period of time it has been in use:	Description in table footnotes

Table 1.6 - Grounds for legally induced abortion

Please mark with an "X" the applicable options	X	
a) Continuance of pregnancy would involve risk to the life of the pregnant woman greater than if the pregnancy were terminated.		
b) Continuance of pregnancy would involve risk of injury to the physical health of the pregnant woman greater than if pregnancy were terminated.		
c) Continuance of pregnancy would involve risk of injury to the mental health of the pregnant woman greater than if pregnancy were terminated.		
d) Continuance of pregnancy would involve risk of injury to the mental or physical health of the pregnant woman greater than if pregnancy were terminated.		
e) There is a substantial risk that if the child were born it would suffer from such physical or mental abnormalities as to be seriously handicapped.		
f) Other, please specify.		

Tables 14a, 14b, 15a and 15b - Life tables

Do the life tables refer to de Facto population or de Jure population?	de Jure population
Was any method used to smoothen the life table? Which one?	A variety of methods are used to smooth life tables for different age ranges. 1.Whittaker-Henderson graduation (ages 2-40); 2. Cubic Splines (ages 22-96); 3. Makeham function ages 85-120.
Was any specific method used to close the life table at older ages (e.g., Gompertz, Makeham, etc.)? Which one?	Makeham function
If any model life table or relational model was used to derive the life table (e.g., Coale-Demeny West, UN South Asian pattern), what model was used?	N/A

Please mark with an "X" the applicable options	X	
What source of data was used to compute the life tables?		
a) Unadjusted vital registration deaths	X	
b) Adjusted vital registration deaths		
c) Information on deaths from census		
d) Life expectancy at birth		
e) Under-five mortality		
f) Infant mortality		

Table 22 Minumum legal marriage age

Please specify the minimum legal age at which marriage can take place:	Men	Women

a) With parental consent		
b) Without parental consent		